

Wellness Kona

Sample: 2306DBL0042.1252

METRC Sample:

Lic. #

Strain: N/A
 Ordered: 06/16/2023; Sampled: 06/16/2023; Completed: 06/21/2023

10,000mg CBD + 10,000mg CBG Broad Spectrum 100mL Salve

Topical, Salve



Cannabinoids

CBC
 CBCa
 CBD
 CBDa
 CBDV
 CBDVa
 CBG
 CBGa
 CBL
 CBN
 Δ8-THC
 Δ9-THC
 THCa
 THCV
 THCVa

Cannabinoids

145.022
mg/unit

Δ9-THC + Δ8-THC

10,710.947
mg/unit

CBD

22,010.306
mg/unit

Total Cannabinoids

NT

Moisture

1 Unit = 10,000mg CBD + 10,000mg CBG Broad Spectrum 100mL Salve, 100g

Cannabinoid Profile

Analyzed by 300.18 UHPLC/PDA

Cannabinoid	Mass mg/unit	Mass mg/g	LOQ mg/unit
CBC	1023.027	10.230	4.609
CBCa	<LOQ	<LOQ	4.609
CBD	10710.947	107.109	4.609
CBDa	<LOQ	<LOQ	4.609
CBDV	123.027	1.230	4.609
CBDVa	<LOQ	<LOQ	4.609
CBG	9634.739	96.347	4.609
CBGa	<LOQ	<LOQ	4.609
CBL	75.737	0.757	4.609
CBN	297.806	2.978	4.609
Δ8-THC	145.022	1.450	4.609
Δ9-THC	<LOQ	<LOQ	4.609
THCa	<LOQ	<LOQ	4.609
THCV	<LOQ	<LOQ	4.609
THCVa	<LOQ	<LOQ	4.609
Total THC	145.022	1.450	
Total CBD	10,710.947	107.109	
Total	22010.306	220.103	



Glen Marquez
 Laboratory Director

Sherri Defreese
 Sherri Defreese
 Quality Control



4439 Polaris Ave
 Las Vegas, NV
 (702) 728-5180
 www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation, Pesticide LOQ=Instrument Limit of Quantitation, NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.