

Wellness Kona

Sample: 2511DBL0075.9054

METRC Sample:

Lic. #CBD

Strain: Mango
 Ordered: 11/18/2025; Sampled: 11/18/2025; Completed: 11/24/2025

Wellness Kona CBD Oil 2500 MG

Ingestible, Tincture



DEMO

Cannabinoids

33.3450
mg/unit

Δ9-THC + Δ8-THC

2,596.0650
mg/unit

CBD

2,716.6200
mg/unit

Total Cannabinoids

1 unit = 1 bottle = 1 Wellness Kona CBD Oil 2500 MG Mango, 30 mL

NT

Moisture

Cannabinoids

CBC
 CBD
 CBDa
 CBDV
 CBG
 CBGa
 CBN
 Δ8-THC
 Δ9-THC
 THCa
 THCV

Cannabinoid Profile

Analyzed by T.40.031.NV UHPLC/PDA

Cannabinoid	Mass	Mass	LOQ
	mg/unit	mg/g	mg/unit
CBC	<LOQ	<LOQ	0.2850
CBD	2596.0650	91.0900	0.2850
CBDa	<LOQ	<LOQ	0.2850
CBDV	18.2400	0.6400	0.2850
CBG	62.4150	2.1900	0.2850
CBGa	<LOQ	<LOQ	0.2850
CBN	6.5550	0.2300	0.2850
Δ8-THC	<LOQ	<LOQ	0.2850
Δ9-THC	33.3450	1.1700	0.2850
THCa	<LOQ	<LOQ	0.2850
THCV	<LOQ	<LOQ	0.2850
Total THC	33.3450	1.17	
Total CBD	2,596.0650	91.09	
Total	2716.6200	95.3200	

Total THC = 0.877 x THCa + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD

Notes: LA51118006-002



Kelly Zaugg
 Kelly Zaugg
 Laboratory Director



4439 Polaris Ave
 Las Vegas, NV

(833) 465-8378

http://www.kaychalabs.com

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter; NC=Non-controlled QC parameter; ND=Not Detected; NA=Not Analyzed; ppm=Parts Per Million; ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The 'Decision Rule' for the pass/fail does not include the UM. The limits are based on NV regulations.